


BSH Home Appliances Group

B/S/H/

PLM 2.0 as enabler for Hardware+


2020-11-11
Sabine Ardey

BSH | Hardware+ is based on three pillars and requires cultural change



Agenda

Drill Down




What's next?




Drill Down - Product as a Platform

BSH | Product as a Platform




BSH |



SystemMaster

SYSTEMMASTER



... is „the digital brain“ ...



...based on Linux OS ...

... to connect us to the Internet




... with highest standard of security!



And with our new common BSH architecture inside ...

... our SyMa controls other electronics ...



...executes recipes / downloads new features...



...enables „predictive maintenance“ & better understanding of use,..

... creates AI on the edge & self learning Systems...




...allows to use Open Source,...

... and lets others be creative for us!




BSH | Engineering Backbone

for efficient distributed development of mechatronic products



Product as a Platform| Hardware+ Architecture

with PLM 2.0 as essential domain for linking “hardware” with “+”



PLM 2.0 | Action fields

PLM 2.0 focusing on SystemMaster enabling processes

Global standard SMM



(example GV650)

System Master as the global connectivity standard for BSH

Dependency Management

- **Dependencies** between SW/HW/RAC to be identified and checked for SW updates **over product lifetime**

ALM/PLM Processes

- More SW focus (FW, Content) and regular updates require **standardized ALM Toolchain**

Product/Variant Configuration Management

- **Amount of possible combinations** for variants needs **PLM supported configuration management**

Manage data complexity

- dependencies
- Interfaces SW/HW
- new components
- (...)

Improve efficiency

- Automatic processes
- Check of VA/VO
- Check of BOMs
- (...)

SOFTWARE UPDATE




UPDATE COMPABILITY CHECK



PLM 2.0 Action Fields | Dependency Management

Parts & Modules influencing the Software



 **Hardware Identification**
 → they are able to provide the identification information to the Home Appliance
 → Electronic (PCB) with (D)Bus connection


 **Firmware Identification**
 FW comprises **all kind software**, which is used to provide basis functionalities of an ECU.

 **RAC Identification (Restricting Additional Component)**
 they are **not able to provide the identification information** to the Home Appliance
 → no (D)Bus connection
 → **have an influence on the FW** running on the ECU


ECU = Electronic Control Unit
 FW = Firmware
 HW = Hardware
 RAC = Restricting Additional Component

PLM 2.0 Action Fields | Product as Platform “Dashboard”

*to avoid small unknown errors along the process chain
with fatal effect on production*



New and complex process



Unstable system/ interface




=

Time consuming and difficult
troubleshooting




What's next? from PLM to SysLM


BSH | Evolution of PDM / PLM



Prof. Eigner | Evolution from PLM to SysLM



© Engineering Consult 2020



© Engineering Consult 2020

BOM Bill of Material = Stückliste BOP Bill of Processes = Prozessplan für Fertigung und Montage



BYSYHY

Thank you!